ANALYTICA CHIMICA ACTA, VOL. 282 (1993)

AUTHOR INDEX

Abu Zuhri, A.Z.
—, El-Shahawi, M.S. and Kamal, M.M.
Adsorptive stripping voltammetric behaviour of gold(III) at a hanging mercury drop electrode in the presence of 1-(2′-pyridylazo)-2-naphthol 133
Akel, A.A., see Alwarthan, A.A. 169
Al-Tamrah, S.A., see Alwarthan, A.A. 169
Almeida, N.F.
— and Mulchandani, A.K.
A mediated amperometric enzyme electrode using tetrathiafulvalene and L-glutamate oxidase for the determination of L-glutamic acid 353
Almuaibed, A.M., see Takruni, I.A. 307
Alwarthan, A.A.
—, Al-Tamrah, S.A. and Akel, A.A.
Determination of promethazine by its inhibition of the chemiluminescence of the luminol–hydrogen peroxide–chromium(III) system 169
Ambler, S.M., see Cheung, P.Y.K. 181
Anderegg, G.
Determination of stability constants of metal complexes with potentiometric pH titrations 485
Aparicio, R., see Morales, M.T. 423
Avidad, R., see Vilchez, J.L. 445
Ayiannidis, A., see Giroussi, S.Th. 139

Baesso, M.L., see Brown, S.M. 711
Bakker, E.
—, Willer, M. and Pretsch, E.
Detection limit of ion-selective bulk optodes and corresponding electrodes 265
Ballesteros, E.
—, Gallego, M. and Valcárcel, M.
Automatic method for on-line preparation of fatty acid methyl esters from olive oil and other types of oil prior to their gas chromatographic determination 581
Bard, A.J., see Tóth, K. 239
Barnett, N.W.
—, Rolfe, D.G., Bowser, T.A. and Paton, T.W.
Determination of morphine in process streams using flow-injection analysis with chemiluminescence detection 551
Beck, R.E., see Shanahan, K.L. 679
Berzas-Nevado, J.J., see Capitán-Vallvey, L.F. 75
Birch, M.E.
Solvent venting technique for gas chromatography with microwave-induced plasma atomic emission spectroscopy 451
Bloom, N.S., see Horvat, M. 153
Boonyanitchayakul, B., see Chimpalee, N. 643
Bourguignon, B.
— and Massart, D.L.
Stationary phase degradation in reversed-phase liquid chromatography: a possible cause of bad predictions in experimental design 33
Bowser, T.A., see Barnett, N.W. 551
Boyle, E.A., see Orians, K.J. 63
Brown, S.M.
—, Baesso, M.L., Shen, J. and Snook, R.D.
Thermal diffusivity of skin measured by two photothermal techniques 711
Bruno, A.E., see Däppen, R. 47
Buck, R.P.
—, Cosofret, V.V. and Lindner, E.
Anion effects on Donnan failure of aminated-poly(vinyl chloride)-based and neutral-carrier-based pH sensors 273
Burns, D.T., see Chimpalee, N. 643

Canel, E., see Gündüz, T. 489
Capitán-Vallvey, L.F.
—, De Orbe, I., Valencia, M.C. and Berzas-Nevado, J.J.
Implementation of ultraviolet solid-phase spectrophotometry by use of derivative techniques 75
Capitán-Vallvey, L.F., see Vilchez, J.L. 445
Chan, C.C.Y.
— and Sadana, R.S.
Automated determination of mercury at ultra trace level in waters by gold amalgam preconcentration and cold vapour atomic fluorescence spectrometry 109
Chang, W.-B., see Ci, Y.-X. 695
Chaniotakis, N.A.
—, Jurkschat, K. and Rühlemann, A.
Potentiometric phosphate selective electrode based on a multidendate–tin(IV) carrier 345
Chen, S., see Li, Q. 145
Cheung, P.Y.K.
—, Kauvar, L.M., Engqvist-Goldstein, Å.E., Ambler, S.M., Karu, A.E. and Ramos, L.S.
Harnessing immunochemical cross-reactivity: use of pattern recognition to classify molecular analogs 181
Chimpalee, D., see Chimpalee, N. 643
Chimpalee, N.
—, Chimpalee, D., Boonyanitchayakul, B. and Burns, D.T.
Flow-injection spectrofluorimetric determination of boron using Alizarin Red S in aqueous solution 643

Chou, C.-H., see Yang, H.-J. 437
Ci, Y.-X.
—, Zheng, Y.-G., Tie, J.-K. and Chang, W.-B.
Chemiluminescence investigation of the interaction of metalloporphyrins with nucleic acids 695
Cooper, J.C.
—, Danzer, J. and Schmidt, H.-L.
Enhanced selectivity in flow-injection analysis for L-amino acids using electrodialysis with amino acid oxidation 369
Cosofret, V.V., see Buck, R.P. 273
Cronan, C., see Lakshman, S. 101

Dam-Johansen, K., see Hjuler, K. 703
Dane, A.D., see Lucasius, C.B. 647
Dankházi, T.
—, Fekete, É., Paál, K. and Farsang, G.
Electrochemical oxidation of lysergic acid-type ergot alkaloids in acetonitrile. Part 1. Stoichiometry of the anodic oxidation electrode reaction 289
Danzer, J., see Cooper, J.C. 369
Däppen, R.
—, Voigt, P., Maystre, F. and Bruno, A.E.
Aspects of quantitative determinations with polarimetric detectors in liquid chromatography 47
Das Graças Gomes, M.
—, Da S.S. Borges, S., Lopes, L.G.F. and Franco, D.W.
UV–visible spectrum of nitrous acid in solution: pK_a determination and analytical applications 81
Da S.S. Borges, S., see Das Graças Gomes, M. 81
Dauphin, C., see Silvestre, M.P.C. 603
De la Guardia, M.
—, Gallignani, M. and Garrigues, S.
Flow-injection derivative Fourier transform infrared determination of methyl *tert*-butyl ether in gasolines 543
De Orbe, I., see Capitán-Vallvey, L.F. 75
Durst, R.A., see Siebert, S.T.A. 297

Ebdon, L.
—, Fisher, A.S. and Hill, S.J.
Use of hydrogen in electrothermal atomic absorption spectrometry to decrease the background signal arising from environmental slurry samples 433
Eiceman, G.A., see Karpas, Z. 19
El-Shahawi, M.S., see Abu Zuhri, A.Z. 133
Engqvist-Goldstein, Å.E., see Cheung, P.Y.K. 181

Farsang, G., see Dankházi, T. 289
Fekete, É., see Dankházi, T. 289
Fisher, A.S., see Ebdon, L. 433
Forteza, A.C.
—, Más, C.T., Ripoll, J.M.E., Martín, V.C. and Ramis-Ramos, G.
Dual-laser crossed-beam thermal lens spectrophotometer pumped with a semiconductor diode-array laser 613
Franco, D.W., see Das Graças Gomes, M. 81
Franek, M.
— and Krivan, V.
Multi-element analysis of aluminium-based ceramic powders by instrumental and radiochemical neutron activation analysis 199
Freeman, P.R.
—, Hart, B.T. and McKelvie, I.D.
Dual flow-injection analysis system for determining bromide and reactive phosphorus in natural waters 379
Fuchigami, T.
—, Imasaka, T. and Shiga, M.
Subattomole detection of amino acids by capillary electrophoresis based on semiconductor laser fluorescence detection 209
Fuhrmann, B.
— and Spohn, U.
Volumetric triangle-programmed flow titrations based on precisely generated concentration gradients 397
Fujimaki, T.
—, Tani, T., Watanabe, S., Suzuki, S. and Nakazawa, H.
Chemiluminescence detection of organotin compounds with bis(2,4,6-trichlorophenyl) oxalate by flow-injection analysis 175
Fukasawa, T., see Kawakubo, S. 389
Fukasawa, T., see Liang, B. 87

Gallego, M., see Ballesteros, E. 581
Gallignani, M., see De la Guardia, M. 543
Garner, R.
—, Yperman, J., Mullens, J. and Van Poucke, L.C.
Fully automated potentiometric determination of the free ligand concentration in complexation titrations: the system Ag(I) with *N*-methylethylenediamine 471
Garrigues, S., see De la Guardia, M. 543
Giroussi, S.Th.
—, Voulgaropoulos, A.N. and Ayiannidis, A.
Voltammetric determination of tetrathiomolybdates, an effective antidote in acute intoxication by copper(II) and other toxic metal ions 139
Gomez Benito, G., see Mellado Romero, A. 95
Gonzalez, E.
—, Montes, R. and Laserna, J.J.
Pulsed-laser fluorescence detection in capillary zone electrophoresis of some banned substances in sport 687
Gündüz, T.
—, Kılıç, E., Canel, E. and Köseoğlu, F.
Protonation constants of some substituted salicylideneanilines in dioxan–water mixtures 489

Haldimann, M.
— and Zimmerli, B.
Evaluation of ashing procedures for the gas chromatographic determination of fluoride in biological material 589
Hamon, M., see Silvestre, M.P.C. 603
Hara, S., see Nohta, H. 625

Hart, B.T., see Freeman, P.R. 379
Hasebe, Y.
—, Takamori, K. and Uchiyama, S.
Enzyme-based chemically amplified flow-injection determination of catechol and catecholamines using an immobilized tyrosinase reactor and L-ascorbic acid 363
Havas, J.
—, Kecskés, L. and Rohonczy-Boksay, E.
Prediction of the equilibrium value of a potentiometric signal. Application of the measuring technique to molecule-sensitive sensors 283
Hill, S.J., see Ebdon, L. 433
Hjuler, K.
— and Dam-Johansen, K.
Design of a flue gas probe for ammonia measurement 703
Hobert, H., see Meyer, M. 407
Holobar, A., see Weigl, B.H. 335
Horrocks, B.R., see Tóth, K. 239
Horvai, G., see Horváth, V. 259
Horvat, M.
—, Liang, L. and Bloom, N.S.
Comparison of distillation with other current isolation methods for the determination of methyl mercury compounds in low level environmental samples. Part II. Water 153
Horváth, V.
— and Horvai, G.
Selectivity of plasticized poly(vinyl chloride)-based ion-selective electrodes 259
Hsieh, T.-P.
— and Liu, L.K.
Alkylene bisdithiocarbamates as complexing agents for the preconcentration of trace metals in aquatic samples 221
Huang, K.-S., see Yang, H.-J. 437

Imasaka, T., see Fuchigami, T. 209
Ivnitskii, D.M.
— and Rishpon, J.
Biosensor based on direct detection of membrane potential induced by immobilized hydrolytic enzymes 517
Iwata, K., see Song, M.I. 193
Iwatsuki, M., see Kawakubo, S. 389
Iwatsuki, M., see Liang, B. 87

Jiang, S.-J., see Yang, H.-J. 437
Jiao, K., see Zhang, Y. 125
Jurkschat, K., see Chaniotakis, N.A. 345

Kai, M., see Nohta, H. 625
Kamal, M.M., see Abu Zuhri, A.Z. 133
Karpas, Z.
—, Wang, Y.-F. and Eiceman, G.A.
Qualitative and quantitative response characteristics of a capillary gas chromatograph/ion mobility spectrometer to halogenated compounds 19
Karu, A.E., see Cheung, P.Y.K. 181
Karube, I., see Song, M.I. 193
Kateman, G., see Lucasius, C.B. 647
Kauvar, L.M., see Cheung, P.Y.K. 181
Kawakubo, S.
—, Iwatsuki, M. and Fukasawa, T.
Flow system based on sequential delivery of air-sandwiched solutions into a micro cell for spectrophotometric catalytic analysis 389
Kawakubo, S., see Liang, B. 87
Kecskés, L., see Havas, J. 283
Kılıç, E., see Gündüz, T. 489
Kollie, T.O., see Poole, C.F. 1
Köseoğlu, F., see Gündüz, T. 489
Krivan, V., see Franek, M. 199
Krull, U.J., see Nikolelis, D.P. 527
Kuwana, T., see Marioli, J.M. 571

Lakowicz, J.R., see Terpetschnig, E. 633
Lakshman, S.
—, Mills, R., Patterson, H. and Cronan, C.
Apparent differences in binding site distributions and aluminum(III) complexation for three molecular weight fractions of a coniferous soil fulvic acid 101
Laserna, J.J., see Gonzalez, E. 687
Le Gall, A.-C.
— and Van den Berg, C.M.G.
Determination of folic acid in sea water using adsorptive cathodic stripping voltammetry 459
Li, Q.
— and Chen, S.
Studies on electrochemical behaviour of cephalexin 145
Liang, B.
—, Kawakubo, S., Iwatsuki, M. and Fukasawa, T.
Catalytic determination of iodide by a maximum absorbance method using the oxidation reaction of chlorpromazine with hydrogen peroxide 87
Liang, L., see Horvat, M. 153
Lin, X.M., see Umezawa, K. 247
Lindner, E., see Buck, R.P. 273
Liu, A.
— and Wang, E.
Polyaniline-dispersed mercury electrode for the detection of monochloramine and dichloramine 497
Liu, C., see Zhang, Y. 125
Liu, L.K., see Hsieh, T.-P. 221
Liu, X., see Zhang, Y. 125
Llobat-Estelles, M.
—, Maurí-Aucejo, A.R., Marín-Saez, R., San Martín-Ciges, M.D. and Vidal, A.C.
Apparent content curves: a method to resolve spectral interferences in samples with n components 671
Loh, H.K., see Saleh, M.I. 559
Lopes, L.G.F., see Das Graças Gomes, M. 81
Lu, J., see Wang, J. 329
Lucasius, C.B.
—, Dane, A.D. and Kateman, G.
On k-medoid clustering of large data sets with the aid of a genetic algorithm: background, feasibility and comparison 647

Luo, P.F., see Marioli, J.M. 571
Luong, J.H.T., see Zhao, S. 319

Marín-Saez, R., see Llobat-Estelles, M. 671
Marioli, J.M.
—, Luo, P.F. and Kuwana, T.
Nickel–chromium alloy electrode as a carbohydrate detector for liquid chromatography 571
Maris, F.A., see Penninckx, W. 417
Martín, V.C., see Forteza, A.C. 613
Martínez Calatayud, J., see Mellado Romero, A. 95
Más, C.T., see Forteza, A.C. 613
Massart, D.L., see Bourguignon, B. 33
Massart, D.L., see Penninckx, W. 417
Mathews, C.K., see Panigrahi, B.S. 117
Maurí-Aucejo, A.R., see Llobat-Estelles, M. 671
Maystre, F., see Däppen, R. 47
McKelvie, I.D., see Freeman, P.R. 379
Mellado Romero, A.
—, Gomez Benito, G. and Martínez Calatayud, J.
On-line photochemical derivatization and flow-injection spectrophotometric determination of ergonovine maleate 95
Meyer, K., see Meyer, M. 407
Meyer, M.
—, Meyer, K. and Hobert, H.
Neural networks for interpretation of infrared spectra using extremely reduced spectral data 407
Mills, R., see Lakshman, S. 101
Miwa, T., see Takeuchi, T. 565
Montes, R., see Gonzalez, E. 687
Morales, M.T.
— and Aparicio, R.
Optimization by mathematical procedures of two dynamic headspace techniques for quantifying virgin olive oil volatiles 423
Mulchandani, A.K., see Almeida, N.F. 353
Mullens, J., see Garner, R. 471

Nagy, G., see Tóth, K. 239
Nakazawa, H., see Fujimaki, T. 175
Navalón, A., see Vilchez, J.L. 445
Nie, L., see Zhu, W. 535
Nikolelis, D.P.
—, Tzanelis, M.G. and Krull, U.J.
Direct electrochemical transduction of an immunological reaction by bilayer lipid membranes 527
Nishizawa, S., see Umezawa, K. 247
Nohta, H.
—, Sakai, F., Kai, M., Ohkura, Y., Hara, S. and Yamaguchi, M.
2-Aminothiophenols as fluorogenic reagents for aromatic aldehydes 625
Novák, Cs.
—, Pokol, G., Sztatisz, J., Szente, L. and Szejtli, J.
Determination of the degree of substitution of hydroxypropylated β-cyclodextrins by differential scanning calorimetry 313
Ohkura, Y., see Nohta, H. 625
Orians, K.J.
— and Boyle, E.A.
Determination of picomolar concentrations of titanium, gallium and indium in sea water by inductively coupled plasma mass spectrometry following an 8-hydroxyquinoline chelating resin preconcentration 63

Paál, K., see Dankházi, T. 289
Panigrahi, B.S.
—, Peter, S., Viswanathan, K.S. and Mathews, C.K.
Fluorescence enhancement and cofluorescence in complexes of terbium, dysprosium and europium with trimesic acid 117
Paton, T.W., see Barnett, N.W. 551
Patterson, H., see Lakshman, S. 101
Penninckx, W.
—, Smeyers-Verbeke, J., Massart, D.L., Spanjers, L.G.C.W. and Maris, F.A.
Hypertext tools for the selection of dissolution methods prior to the atomic absorption analysis of pharmaca 417
Peter, S., see Panigrahi, B.S. 117
Pokol, G., see Novák, Cs. 313
Poole, C.F.
— and Kollie, T.O.
Interpretation of the influence of temperature on the solvation properties of gas chromatographic stationary phases using Abraham's solvation parameter model 1
Pretsch, E., see Bakker, E. 265

Ramis-Ramos, G., see Forteza, A.C. 613
Ramos, L.S., see Cheung, P.Y.K. 181
Reeves, S.G., see Siebert, S.T.A. 297
Ripoll, J.M.E., see Forteza, A.C. 613
Rishpon, J., see Ivnitskii, D.M. 517
Rodriguez, N.V., see Weigl, B.H. 335
Rohand, J., see Vilchez, J.L. 445
Rohonczy-Boksay, E., see Havas, J. 283
Rolfe, D.G., see Barnett, N.W. 551
Rühlemann, A., see Chaniotakis, N.A. 345

Sadana, R.S., see Chan, C.C.Y. 109
Sakai, F., see Nohta, H. 625
Saleh, M.I.
— and Loh, H.K.
Liquid chromatographic assay of pyronaridine in plasma and blood 559
San Martín-Ciges, M.D., see Llobat-Estelles, M. 671
Satake, S.
—, Tsukahara, S. and Suzuki, N.
Synergic extraction of rare earths with 2-thenoyltrifluoroacetone and phosphoryl-type bidentate ligands such as tetraphenyldiphosphine dioxide or bis(diphenylphosphinyl)methane 215
Schmidt, H.-L., see Cooper, J.C. 369
Seiler, K., see Stamm, C. 229

Shanahan, K.L.
—, Beck, R.E., Taylor, C.E. and Spencer, R.B.
Discrete event simulation of an analytical laboratory 679
Shen, J., see Brown, S.M. 711
Shiga, M., see Fuchigami, T. 209
Siebert, S.T.A.
—, Reeves, S.G. and Durst, R.A.
Liposome immunomigration field assay device for Alachlor determination 297
Silvestre, M.P.C.
—, Dauphin, C. and Hamon, M.
Application of UV absorbance and second-derivative spectrophotometry for analysing casein hydrolysates 603
Simon, W., see Stamm, C. 229
Smeyers-Verbeke, J., see Penninckx, W. 417
Snook, R.D., see Brown, S.M. 711
Song, M.I.
—, Iwata, K., Yamada, M., Tamiya, E. and Karube, I.
Alternating current field enhanced latex immunoassay for human myoglobin as measured by image analysis 193
Spanjers, L.G.C.W., see Penninckx, W. 417
Spencer, R.B., see Shanahan, K.L. 679
Spohn, U., see Fuhrmann, B. 397
Stamm, C.
—, Seiler, K. and Simon, W.
Enzymatic biosensor for urea based on an ammonium ion-selective bulk optode membrane 229
Sugawara, M., see Umezawa, K. 247
Suzuki, N., see Satake, S. 215
Suzuki, S., see Fujimaki, T. 175
Szejtli, J., see Novák, Cs. 313
Szente, L., see Novák, Cs. 313
Szmacinski, H., see Terpetschnig, E. 633
Sztatisz, J., see Novák, Cs. 313

Takamori, K., see Hasebe, Y. 363
Takeuchi, T.
— and Miwa, T.
Determination of the specific surface area of silica gel by on-column titration with hydrochloric acid 565
Takruni, I.A.
—, Almuaibed, A.M. and Townshend, A.
Flow-injection study of inhibition and reactivation of immobilized acetylcholinesterase: determination of the pesticides paraoxon and carbamoylcholine 307
Tamiya, E., see Song, M.I. 193
Tani, T., see Fujimaki, T. 175
Taylor, C.E., see Shanahan, K.L. 679
Taylor, S., see Walsh, M.E. 55
Terpetschnig, E.
—, Szmacinski, H. and Lakowicz, J.R.
Synthesis, spectral properties and photostabilities of symmetrical and unsymmetrical squaraines; a new class of fluorophores with long-wavelength excitation and emission 633
Thompson, M., see Yang, M. 505
Tie, J.-K., see Ci, Y.-X. 695
Tóth, K.
—, Nagy, G., Horrocks, B.R. and Bard, A.J.
Investigation of silver iodide-based ion-selective membranes by scanning electrochemical microscopy 239
Townshend, A., see Takruni, I.A. 307
Tsukahara, S., see Satake, S. 215
Tzanelis, M.G., see Nikolelis, D.P. 527

Uchiyama, S., see Hasebe, Y. 363
Umezawa, K.
—, Lin, X.M., Nishizawa, S., Sugawara, M. and Umezawa, Y.
Cation permselectivity in the phase boundary of ionophore-incorporated solvent polymeric membranes as studied by Fourier transform infrared attenuated total reflection spectrometry 247
Umezawa, Y., see Umezawa, K. 247

Valcárcel, M., see Ballesteros, E. 581
Valencia, M.C., see Capitán-Vallvey, L.F. 75
Van den Berg, C.M.G., see Le Gall, A.-C. 459
Van Poucke, L.C., see Garner, R. 471
Vidal, A.C., see Llobat-Estelles, M. 671
Vilchez, J.L.
—, Avidad, R., Rohand, J., Navalón, A. and Capitán-Vallvey, L.F.
Determination of morestan residues in waters by solid-phase spectrofluorimetry 445
Viswanathan, K.S., see Panigrahi, B.S. 117
Voigt, P., see Däppen, R. 47
Voulgaropoulos, A.N., see Giroussi, S.Th. 139

Walsh, M.E.
— and Taylor, S.
Analytical method for white phosphorus residues in munitions-contaminated sediments 55
Wang, E., see Liu, A. 497
Wang, J.
— and Lu, J.
Adsorptive stripping voltammetry of trace thallium 329
Wang, Y.-F., see Karpas, Z. 19
Watanabe, S., see Fujimaki, T. 175
Wei, W., see Zhu, W. 535
Weigl, B.H.
—, Holobar, A., Rodriguez, N.V. and Wolfbeis, O.S.
Chemically and mechanically resistant carbon dioxide optrode based on a covalently immobilized pH indicator 335
Willer, M., see Bakker, E. 265
Wolfbeis, O.S., see Weigl, B.H. 335
Wu, C.-C., see Yang, H.-J. 437

Yamada, M., see Song, M.I. 193
Yamaguchi, M., see Nohta, H. 625
Yang, H.-J.
—, Huang, K.-S., Jiang, S.-J., Wu, C.-C. and Chou, C.-H.
Determination of trace metal ions in water samples by on-line preconcentration and inductively coupled plasma mass spectrometry 437

Yang, M.
— and Thompson, M.
Acoustic network analysis and equivalent circuit simulation of the thickness-shear mode acoustic wave sensor in the liquid phase 505
Yao, S., see Zhu, W. 535
Yperman, J., see Garner, R. 471

Zhang, Y.
—, Jiao, K., Liu, C. and Liu, X.
Reductive potentiometric stripping analysis of manganese with potassium hexacyanoferrate(II) as reducing agent on a glassy carbon electrode 125
Zhao, S.
— and Luong, J.H.T.
Bioelectrocatalysis of a water-soluble tetrathiafulvalene–2-hydroxypropyl-β-cyclodextrin complex 319
Zheng, Y.-G., see Ci, Y.-X. 695
Zhu, W.
—, Wei, W., Nie, L. and Yao, S.
Piezoelectric quartz crystal with separated electrode for the simultaneous determination of atropine sulphate and sodium chloride 535
Zimmerli, B., see Haldimann, M. 589